INDUSTRIAL CHEMICALS



Electrolysis Process

CAUSTIC SODA LYE

CAUSTIC SODA LYE



At Manusolv, we provide top-tier Caustic Soda Lye, our commitment to quality ensures that you receive a reliable product on which you can depend on.

(CAS.NO.-1310-73-2)

ADVANTAGES

 Manusolv Chemicals guarantees a minimum purity of 47.00% NaOH.

PACKAGING

- · 25 kg Bags with inner HM-HDPE liner
- 50 kg Bags with inner HM-HDPE liner

MOQ

· 20 ft Full Container Load

CONTACT DETAILS

Phone: +1 203-285-7387
Email: sales@manusolv.com
Website: www.manusolv.com

APPLICATIONS

Major Consuming Industries:

- · Pulp & Paper
- · Textiles
- Soaps and Detergents
- · Petroleum Products
- Aluminum Metal
- Chemical Process
- · Bleach Manufacturing

SPECIFICATIONS

Sr. No	Characteristic	Specifications
1.	Sodium Hydroxide (as NaOH)	47.00 % min
2.	Sodium Carbonate (as Na2CO3)	00.20 % max
3.	Chloride (as Cl)	0.015 % max
4.	Iron (as Fe)	10.00 max ppm



CAUSTIC SODA FLAKES



At Manusolv, we provide top-tier Caustic Soda Flakes, our commitment to quality ensures that you receive a reliable product on which you can depend on.

EXCLUSIVE FEATURES

- · High purity Caustic Soda
- Free-flowing white deliquescent pieces

APPLICATIONS

Major Consuming Industries:

- · Pulp & Paper
- · Textiles
- Soaps and Detergents
- · Petroleum Products
- Aluminum Metal
- · Chemical Process
- · Bleach Manufacturing

SPECIFICATIONS

Sr. No	Characteristic	Specifications
1.	Sodium Hydroxide (as NaOH)	99.00 % min
2.	Sodium Carbonate (as Na2CO3)	00.40 % max
3.	Chloride (as Cl)	00.03 % max
4.	Iron (as Fe)	20.00 max ppm

(CAS.NO.-1310-73-2)

ADVANTAGES

- · Manusolv Chemicals guarantees a
- · minimum purity of 99.00% NaOH.
- · Dissolves gradually in water
- · Easy to handle
- Our rigorous quality control ensures
- consistent performance in every
- · batch.

PACKAGING

- 25 kg Bags with inner HM-HDPE liner
- 50 kg Bags with inner HM-HDPE liner

MOQ

· 20 ft Full Container Load

CONTACT DETAILS

Phone: +1 203-285-7387
Email: sales@manusolv.com
Website: www.manusolv.com





CAUSTIC SODA PRILLS



At Manusolv, we provide top-tierCaustic Soda Prills, our commitment to quality ensures that you receive a reliable product on which you can depend on.

EXCLUSIVE FEATURES

- · Ultra High purity caustic soda
- Free-flowing milky white granules
- Specially packed under a completely dry and air-conditioned climate.

APPLICATIONS

Major Consuming Industries:

- · Pulp & Paper
- · Textiles
- Soaps and Detergents
- Petroleum Products
- Aluminum Metal
- · Chemical Process
- Bleach Manufacturing

SPECIFICATIONS

Sr. No	Characteristic	Specifications
1.	Sodium Hydroxide (As NaOH) on dry basis	99.40 % max
۷.	Sodium Carbonate (as Na2CO3)	0.60 % max
3.	Chloride (as CI)	00.02% max
4	Nickle (as Ni)	5.00 max ppm
5	Iron (as Fe)	10.00 max ppm
M	MUSOLV————————————————————————————————————	0.25 to 1.3 min

(CAS.NO.-1310-73-2)

ADVANTAGES

- Good blending characteristics in dry mixtures because of uniform and optimum size of prills
- Excellent free-flow properties
- Reduces the risk of caking as prills are hard and crush-resistant
- Prills dissolve faster hence need only a short period of agitation
- Optimum utilization of stronger facilities being denser than flakes
- Safe handling during addition in reaction/ dissolution compared to flakes

PACKAGING

- 25 kg Bags with inner HM-HDPE liner
- 50 kg Bags with inner HM-HDPE liner

MOQ

· 20 ft Full Container Load

CONTACT DETAILS

Phone: +1 203-285-7387
Email: sales@manusolv.com
Website: www.manusolv.com

CAUSTIC SODA PRILLS

LIQUID CHLORINE



At Manusolv, we provide top-tier Liquid Chlorine, our commitment to quality ensures that you receive a reliable product on which you can depend on.

APPLICATIONS

Manufacturing of:

- PVC (Poly Vinyl Chloride)
- · Chlorinated Hydrocarbons
- Chlorinated Paraffin (CP)
- Water Purification
- Bleaching Agent
- · Waste & Sewage treatment
- Disinfecting Agent
- Sanitizing agent
- Synthetic Rubber

(CAS.NO.-7782-50-5)

ADVANTAGES

- Mercury free Chlorine, which can be used for Chlorine based products for Pharma applications also.
- Our rigorous quality control ensures consistent performance in every batch.

PACKAGING

- In 50 kg Cylinder
- 900 kg Tonner / 850 kg Tonner

MOQ

· 20 ft Full Container Load

CONTACT DETAILS

Phone: +1 203-285-7387 Email: sales@manusolv.com Website: www.manusolv.com

SPECIFICATIONS

Sr. No	Characteristic	Specifications
1	Chlorine Content	99.80 min % v/v
2.	Moisture	0.01 max % w/w

